



## TLS - In-line Rotary Torque Transducers

### Product Overview

The TLS Torque Transducer provides accurate torque measurement at speeds of up to 15,000rpm with integral signal conditioning providing a  $\pm 5V$  analogue output, with an option for  $\pm 10V$ .

The accuracy class is 0.1% with a 0.2% option for sizes 01 to 1000Nm only. Speed and Angle measurement is also an option for sizes up to 1000. Above this size the option for speed is 60 pulses/rev. The TLS is also available as a foot-mounted version, the TLSM, with the same capacities and options as the TLS.

#### System Specifications:

Accuracy Class:	0.1%	Operating Temp:	0 to +60°C
Optional Accuracy Class:	0.2% (upto 1kNm)	Zero Shift:	$< \pm 0.01\%/^{\circ}C$
Full scale Analogue Output:	0 $\pm$ 5V	Supply Voltage:	12 to 28VDC
Analogue Output Option:	0 $\pm$ 10V	Supply Current:	<60mA
Repeatability (class 0.1):	$\pm 0.02\%$ fs	Overload Capacity:	150% fs
Repeatability (class 0.2):	$\pm 0.04\%$ fs	Protection:	IP50
Span Shift:	$< \pm 0.01\%/^{\circ}C$		

### Industrial Measurements


Watling Drive  
Sketchley Meadows  
Hinckley LE10 3EY  
Tel: +44(0) 1332 810 240  
sales@indmeas.co.uk  
www.indmeas.co.uk



Model Size	Rated Torque (Nm)	Max Speed	Springrate (Nm/rad)	Model Size	Rated Torque (Nm)	Max Speed	Springrate (Nm/rad)
01	0.1	15000	1.8 x 10*1	50	50	15000	8.5 x 10*3
02	0.2	15000	1.8 x 10*1	100	100	12000	8.5 x 10*3
05	0.5	15000	1.2 x 10*2	200	200	10000	6.7 x 10*4
1	1.0	15000	1.2 x 10*2	500	500	10000	7.1 x 10*4
2	2.0	15000	3.6 x 10*2	1000	1000	8000	3.1 x 10*5
5	5.0	15000	4.0 x 10*2	2000	2000	5500	7.2 x 10*5
10	10	15000	9.3 x 10*2	5000	5000	5500	8.0 x 10*5
15	15	15000	9.3 x 10*2	10000	10000	5000	3.1 x 10*6
20	20	15000	4.5 x 10*3	20000	20000	5000	3.7 x 10*6
30	30	15000	4.5 x 10*3				


## Dimensions

TLS Dimensions 0.1 - 15 - Optional metric keyways are to BS4235 and DIN6885/1




Model Size	A	B	C	D	E	F	G	H
0.1/0.2/0.5/1/2/5	49	85	18	8 g6	17	32	16	56
10/15	49	85	18	10 g6	17	32	16	56

TLS Dimensions 20 - 500 - Optional metric keyways are to BS4235 and DIN6885/1



Model Size	A	B	C	D	E	H	K	L	M	N	P	Q
20/30	71.5	111.5	20	18 h6	18	59	20	40	5	41.5	15	12
50/100	71.5	147.5	38	18 h6	36	59	20	40	5	41.5	15	12
200/500	72.5	159.5	43.5	32 h6	38	76	29	58	6	29.5	22	15


TLS Dimensions 1000 - 20000 - Optional metric keyways are to BS4235 and DIN6885/1



Model Size	A	B	C	D	E	H	K	L	M	N	P
1000	130	262	66	50 h7	58	136	57.5	115	65.5	18	89
2000 / 5000	135	377	121	70 h7	110	161	69.5	139	67.5	18	89
10000 / 20000	190	470	140	110 h7	120	233	105	208	95	18	89

## Wiring Details

PIN	Designation		
A	GND (Option)	G	Angle (Option)
B	Angle B TTL (Option)	H	Signal 2 (Option)
C	Torque output ±5V hi (Optional ±10V)	J	RS485 B
D	Torque output Com (0V)	K	Calibration - Off 0 to 2V On 3.5 to 30V
E	0V PSU	L	RS485 A
F	+24V dc (PSU)	M	Cable Screen



## Industrial Measurements

Watling Drive  
Sketchley Meadows  
Hinckley LE10 3EY  
Tel: +44(0) 1332 810 240  
sales@indmeas.co.uk  
www.indmeas.co.uk



# Providing custom torque solutions. Industrial Measurements.

**Founded in 1981, Industrial Measurements have been providing comprehensive Torque measurement solutions and the design & manufacture of standard and bespoke Torque Transducers, for over 35 years.**

We pride ourselves on being able to provide a solution no matter what the challenge. As well our standard products such as Inline Rotary Torque Transducers & Static Torque Systems, we are devoted to designing and manufacturing completely bespoke Torque systems to suit our customers needs.

As well as offering one of the largest ranges of Torque Transducers in the world, we make special Torque Sensors, Torque Meters and Load Cells. We also provide a fully accredited Torque calibration service, not just for our own products but for other manufacturers Torque products too.

Whilst our head office is based in the UK, we have customers from all over the world, in particular Western Europe and we are always looking to extend our customer base and offer support and technical advice to all current and future customers.

The knowledge and commitment of our dedicated employees has aided in building a quality customer base across the globe and we supply several industries including Marine & Offshore, Steel Plants, Automotive, Aerospace, Power Generation and much more.

Since 2009, Industrial Measurements has been a part of the Crane Group, alongside Crane Electronics Ltd.



For more information about the TLS range or for a quote, call +44 (0) 1332 810 240 or email [sales@indmeas.co.uk](mailto:sales@indmeas.co.uk).

## Providing custom torque solutions

**Industrial Measurements**  
Watling Drive  
Sketchley Meadows  
Hinckley LE10 3EY  
Tel: +44(0) 1332 810 240  
[sales@indmeas.co.uk](mailto:sales@indmeas.co.uk)  
[www.indmeas.co.uk](http://www.indmeas.co.uk)

